

# HAMPUS HEAVY pre-scraper 9130

---



## HAMPUS HEAVY PRE-SCRAPER WITH CARBIDE – With a powerful scraper segment for heavy industry.

The Hampus pre-scraper 9130 has the same basic design as the standard model – the Hampus pre-scraper 9100, with a more powerful scraper segment for heavier applications. The Hampus pre-scraper 9130 is used in the mining industry and other demanding work environments.

Vendig's unique spring lever ensures that the correct pressure is maintained against the belt which reduces maintenance and prolongs the lifespan of the scraper and the conveyor belt. The pre-scraper shall be positioned against the drive pulley immediately below the flow of material.


Recommended for  $\varnothing$  220-1000 mm pulleys.



*In addition to the standard model which is 175 mm high, a lower segment for a more compact installation is available.*



*Double segment are recommended for problems with belt travel.  
Art.no. 9131-DH H=175, double right  
Art.no. 9131-DV H=175, double left  
Art.no. 9131-140DH H=140, double right  
Art.no. 9131-140-DV H=140, double left*



1. Scraper blade 9131
2. Beam
3. Holder H complete 8388
4. Lever arm complete 9178

All steel parts are electro-galvanized as standard. Stainless steel or powder-coated alternatives are available on request.


From B-W 1000 the scraper is supplied with dual lever arms.  
From B-W 1600 the scraper is supplied with Holder HD.

The scraper blade is made of PU with a carbide edge. The standard blade height is 175 mm . For a more compact installation see the scraper blade alternatives below.

### SCRAPER BLADE

**Art.no. 9131      H=175 (standard)**

Art.no. 9131-140    H=140



STANDARD ART.NO.	B-W	QTY. SEGMENTS	SCRAPER WIDTH	BEAM LENGTH
9134	400	4	400	1100
9135	500	5	500	1200
9136	650	6	600	1300
9138	800	7	700	1500
9140	1000	9	900	1700
9142	1200	11	1100	1900
9144	1400	13	1300	2100
9146	1600	15	1500	2300
9148	1800	17	1700	2500
9150	2000	19	1900	2700

*Wider belt cleaners can be offered on request.*